

# CONTEMPORARY LIVING

BY NOSTRA

TURN-KEY INCLUSIONS

Anything but **standard.**

NOSTRA

# CONTEMPORARY LIVING

BY NOSTRA

## GENERAL

- ▶ 25 year structural guarantee
- ▶ Dwelling constructed independently

## CONNECTIONS

- ▶ Garden taps/Front and rear
- ▶ Stormwater drains
- ▶ Sewer drains
- ▶ Electricity, gas and water connections
- ▶ Fibre Optic wiring - up to 2 data points to home for television, data and phone-points to central garage point (does not include installation of Hub or final connections)
- ▶ All connections exclude consumer connection fees and utility account opening fees

## FOUNDATIONS

- ▶ Fixed Site Costs (Rock Included)
- ▶ Engineered minimum 25mpa concrete slab 400mm thick

## FRAMING

- ▶ Stabilised pine "MGP10" wall frames with LVL lintels and beams
- ▶ Engineered designed roof trusses at 22.5 degree pitch
- Note: certain double storey designs are flat deck specific

## CEILINGS

- ▶ 2590mm height for single storey and ground floor of double storey designs with 2400mm for upper levels
- ▶ 90mm cove cornice throughout

## WINDOWS

- ▶ Aluminium windows with clear glazing
- ▶ Keyed Locks to all windows
- ▶ Flyscreens to all openable windows
- ▶ Holland Blinds to all Windows (excludes doors and fixed windows)

## FACADE

- ▶ Facade as noted in approved architectural drawings

## EXTERNAL CLADDING

### Single

- ▶ Clay Bricks from builders range to garage and house
- ▶ Brick infills to front elevation and 4.5mm fibre cement to remainder

### Doubles

- ▶ Pre coated polystyrene panels with render finish and clay bricks to garage (Refer to plans)

## ROOF PLUMBING/TILES

- ▶ COLORBOND fascia, gutter, downpipes and cappings with concrete roof tiles
- Note: Certain designs are zinc flat deck specific

## INSULATION/6 STAR

- ▶ Sisalation wall wrap
- ▶ R1.5 wall batts to external walls
- ▶ R2.5 insulation wool to ceiling cavity of living areas
- ▶ Gas continuous flow solar hot water unit

## GARAGE

- ▶ Panel lift COLORBOND Garage door with 2 hand held and 1 wall mounted remote control
- ▶ Brickwork above garage door

## STAIRS

- ▶ Half Height plastered wall Balustrade
- ▶ MDF treads and risers with carpet finish

## EXTERNAL BALUSTRADE

- ▶ Refer to working drawings for balcony detail

## DOORS/FURNITURE

- ▶ Entry: 2040mm x 820mm Solid core door with Trilock entrance set
- ▶ Laundry: 2100mm x 1450mm Sliding door (design specific)
- ▶ Internal: 2040mm high Flush panel doors with Gainsborough (Brushed Chrome) passage handles and air cushioned door stops
- ▶ Chrome knob to robe cupboards

## SKIRTING/ARCHITRAVES

- ▶ 67mm x 18mm Primed MDF skirting and architraves
- ▶ Tiled Skirting 100mm to wet areas

## SHELVING

- ▶ Robes: x 1 shelf with chrome hanging rails
- ▶ Pantry: x 4 shelves
- ▶ Linen: x 3 shelves

## ELECTRICAL

- ▶ Safety switches (residual current devices)
- ▶ Direct wired smoke detectors
- ▶ 10 watt LED downlights to down stairs Meals, Kitchen, Hallway, Family with Batten holders to remainder
- ▶ 1 x Rear flood light
- ▶ Exhaust fans to areas with no openable window
- ▶ 1 x Double powerpoint to each room (Refer to Standard Plans)
- ▶ 1 x Television and phone point (Refer to Standard Plans)

## HEATING AND COOLING

- ▶ 7kw Split System to ground floor only (kitchen/meals/family area)
- ▶ 1.2kw Nobo electric heating panels to all bedrooms
- ▶ 1.5kw Nobo electric heating panel to second living area (floorplan specific)

## TOILETS

- ▶ Dual flush cisterns with Vitreous China pan
- ▶ Toilet roll holders

## BATHROOM/ENSUITE

- ▶ Full laminate cabinets and 20mm stone benchtops
- ▶ Vitreous china designer basins with chrome flick mixers
- ▶ 1665mm white acrylic bath tub with chrome outlet and tap set (product specific)
- ▶ Polished edge mirrors (size is width

NOTE: Contract Documentation, Bonus Packages and/or Variations may alter or overrule any items listed herein.

**CLIENT SIGNATURE**

**DATE**

- of vanities x 950mm high)
- ▶ Ensuite/bathroom: poly marble shower base size as per plans
- ▶ Polished silver framed safety glass, pivot door shower screens and wall mounted mixer
- ▶ Double towel rail holder

**KITCHEN**

- ▶ Australian made kitchen
- ▶ Laminate panels and doors including open shelves to rear of bench
- ▶ 20mm Stone benchtops
- ▶ Overhead cupboards
- ▶ Double end bowl stainless steel sink with chrome mixer
- ▶ Designer D pull handles

**APPLIANCES**

600mm stainless steel Smeg:

- ▶ Built-in Oven
- ▶ Gas Cooktop
- ▶ Concealed Undermount Rangehood
- ▶ Dishwasher

**LAUNDRY**

- ▶ 45L stainless steel tub with acrylic cabinet and chrome mixer

**FLOOR COVERINGS**

- ▶ Ceramic floor tiles (450mm x 450mm) or timber laminate to main hallway, living, kitchen and meals
- ▶ Ceramic floor tiles (450mm x 450mm) to bathroom, toilet, ensuite and laundry
- ▶ Carpet to remainder (Category 1 builders range) (Refer to standard plans)

**WALL TILES**

Ceramic wall tiles to:

- ▶ 700mm above kitchen bench
- ▶ 2000mm to shower walls
- ▶ Bath edge to floor
- ▶ 400mm above bathtub

**PAINT**

- ▶ Dulux Washable Low Sheen Acrylic to all Walls
- ▶ Dulux Flat Acrylic to all Ceilings

- ▶ High Gloss Enamel to all interior wood work and doors
- ▶ Dulux Weather Shield to all exterior woodwork
- ▶ 3 coat paint system

**EXTERNAL**

- ▶ Coloured concrete driveway, plain concrete 800mm wide path (as per plan)
- ▶ Full front and rear landscaping with drought resistant plants x 10 with pebbles and mulch
- ▶ Fencing to all boundaries to developers requirements including wing gate where required (refer to plans)
- ▶ Letterbox
- ▶ Wall mounted clothesline (All external works to builders discretion)

**HEAD OFFICE**

29 KEILOR PARK DRIVE,  
KEILOR PARK VIC 3042

**T:** (03) 8331 3500  
**E:** [INFO@NOSTRAHOMES.COM.AU](mailto:INFO@NOSTRAHOMES.COM.AU)  
**W:** [NOSTRAHOMES.COM.AU](http://NOSTRAHOMES.COM.AU)

Disclaimer: Nostra Homes Pty Ltd standard specifications are subject to change without notice and we reserve the right to substitute any items with equivalent products at anytime. Please note that various items that may be displayed in our homes may not be included in our standard specifications.

**NOSTRA**

